

Schiller 2008 Product List

Part No.	Product Description
----------	---------------------

ACCESSORIES

2.100060	Ergobelt
2.155025	Blue Sensor Stress test electrodes, disposable, set of 25 pcs
2.155025C	Blue Sensor Stress test electrodes, disposable, set of 250 pcs, 10 packs
2.155030	Cardio Preps, set of 50 pcs
2.155031	Bio-adhesive electrodes SCHILLER-Tabs Ag, (box of 1,000 pcs)
2.155032	SNAP-CLIP adapter Resting, pouch of 10 pcs.
2.155048	Crocodile electrodes for veterinary application (set of 5) AT-1 & MS3 Veterinary
2.156013	Carrying bag
4.150096	CD Re-Writer, for data archiving, external memory
2.200215	ECG Simulator

PAPER

2.157005	AT-6, SP-200 Recording Paper, 1 package, thermo sensitive, Z-folded
2.157005C	Case of AT-6, SP-200 recording paper, 10 packs per case, thermo sensitive, Z-folded
2.157006	CS-6/12 Recording Paper, 1 package, thermo sensitive, Z-folded
2.157006C	Case CS-6/12 recording Paper, 10 packs per case, thermo sensitive, Z-folded
2.157008	CM-8 Recording Paper, 1 package, thermo sensitive, Z-folded
2.157008C	Case CM-8 recording paper, 10 packs per case, thermo sensitive, Z-folded
2.157010	AT-60, CS-100 Recording Paper, 1 package, thermo sensitive, Z-folded
2.157010C	Case AT-60, CS-100 Recording Paper, 10 packs, thermo sensitive, Z-folded
2.157012	Recording paper AT-10, SP-10, 1 package, thermo-reactive, Z-folded
2.157012C	Case recording paper AT-10, SP-10, 10 packs per case thermo-reactive, Z-folded
2.157013	AT-5 paper 1 package, thermo sensitive, Z-folded
2.157013C	AT-5 paper 25 packs, thermo sensitive, Z-folded
2.157014	Recording paper AT-1, SP-1, 1 package, thermo sensitive, Z-folded
2.157014C	Case recording paper AT-1, SP-1, 25 packs per case, thermo sensitive, Z-folded
2.157016	Recording paper AT-4, AT-104, 1 package, thermo sensitive, Z-folded
2.157016C	Case recording paper AT-4, AT-104 25 packs per case, thermo sensitive, Z-folded
2.157017	Recording paper CS-200, AT-2, AT-2plus, 1 package, thermo sensitive, Z-folded
2.157017C	Case recording paper CS-200, AT-2, AT-2plus, 10 packs per case, thermo sensitive, Z-folded
2.157022	PT-160 recording paper, 1 package, thermo sensitive, Z-folded
2.157023	AT-110, AT-10 Plus recording paper, 1 package, thermo sensitive, Z-folded
2.157023C	Case AT-110, AT-10 Plus recording paper, 10 packs per case, thermo sensitive, Z-folded, red
2.157025	Recording paper AT-102, 1 package, thermo sensitive, Z-folded
2.157025C	Case recording paper AT-102, 10 packs per case, thermo sensitive, Z-folded
2.157026	AT-101, LCM, DG 5000, DG 6002 Recording Paper 1 pack, thermo sensitive, Z-folded
2.157026C	Case AT-101, LCM, DG 5000, DG 6002 Recording Paper 25 packs, thermo sensitive, Z-folded
2.157029	VCM Recording Paper, box of 10 rolls, thermo sensitive

PATIENT CABLES

2.400119	10-Lead patient cable AT-10 Resting USA
2.400116	Patient Cable Exercise 10-lead patient cable, clip type, 3.5m, USA, for AT-10, AT-60, CS-200, CS-100
2.400104	10-lead patient cable 3,5 m, Exercise AT-110, AT-102
2.400071	10-lead patient cable, USA, 2m, with banana plugs, AT-1, AT-2, AT-102, AT-110
2.400127	10-Lead patient cable AT-10 Plus Resting USA
2.400128	10-Lead patient cable AT-10 Plus Exercise USA
2.410041	Adapter for snap-on fastener, set of 10 pieces, AT-10
2.155020	Clamp extremity electrodes (set of 4)
2.400061	5-lead Patient cable AHA, with clips, Miniscope MS-3

CARTS

BRW102	Utility Cart
9.010011	Anthro ECG Cart for AT-2, AT-2 Plus, and AT-10
2.100172	Trolley CLASSIC for AT-2, AT-2plus, AT-102, AT-10, AT-10plus, AT-110 without cable arm, 1 shelf (43x47 cm), max. load 50 kg, 1 basket
2.100179	Shelf for trolley CLASSIC

Schiller 2008 Product List

Part No.	Product Description
2.100176	Monitor holder incl. Shelf for trolley CLASSIC
2.100177	Trolley UNICART 1 for AT-1, AT-1smartprint, AT-101, AT-10plus without cable arm, incl. 1 basket
2.100180	Trolley UNICART 2 for AT-1, AT-1smartprint, AT-101, AT-10plus without cable arm, 1 basket, 1 drawer
2.100178	Shelf for trolley UNICART
2.100134	Cable arm for trolley UNICART, CLASSIC and CARDIOMOBIL

ERGOMETRY

2.210046TM	SCHILLER Treadmill TM-425 115v 60 Hz
2.210046FVX	SCHILLER Mini Treadmill FVX-325 220v 60 Hz
2.210052	SCHILLER exercise testing bicycle ERG 911BP, including NIBP measurement
2.210053	SCHILLER exercise testing bicycle ERG 911S, without NIBP measurement
2.210059	SCHILLER Low Cost exercise testing bicycle ERG 910 S, 115/230 VAC, 50/60Hz
2.210067	SCHILLER hand exercise testing bicycle ERG 911 HK, 115/230 VAC - Please specify when ordering, 50/60Hz
2.210068	SCHILLER hand exercise testing bicycle ERG 911 BP/HK incl. NIBP, 115/230 VAC - Please specify when ordering, 50/60Hz
2.210060	SCHILLER Ergo-Couch, medical safety-couch ergometer bicycle ERG 911 S/L, without NIBP, 115/230 VAC, 50/60Hz
2.210054	SCHILLER Ergo-Couch, medical safety-couch ergometer bicycle ERG 911 BP/L, incl. NIBP, 115/230 VAC, 50/60Hz
2.210058	SCHILLER Stress Echo-Couch, safety-couch ergometer bicycle ERG 911 S/LS, without NIBP, 115/230 VAC, 50/60Hz
2.210057	SCHILLER Stress Echo-Couch, safety-couch ergometer bicycle ERG 911 BP/LS, incl. NIBP, 115/230 VAC, 50/60 Hz

COMMUNICATION CABLES FOR ERGO DEVICES

2.310056	Digital connection cable to ERG 911 (or Treadmill TM-425, STM-55, STM-65), for CS-200/PT-160/AT-110
2.310096	Digital connection cable to ERG 911, for AT-10
2.310197	Interface cable, including Gender Changer, for AT-102, AT-110, PT-160, CS-200
2.310206	Digital connection cable to ERG 911, for AT-102/AT-104
4.520422	Digital connection cable ERG 900S to AT-60/CS-100/CS-200/AT-10
4.520425	Digital connection cable CS-200 and AT-104 Splitter 911 ergometer

NIBP HOSES

2.600440	1 blood pressure cuff with 0,80 m hose standard (24-10-310)
2.600442	1 blood pressure cuff with 0,80 m hose for children (24-10-340)
2.600444	1 blood pressure cuff with 0,80 m hose large (24-10-330)
2.600441	1 blood pressure cuff with 1,10 m hose standard (24-10-311)
2.600443	1 blood pressure cuff with 1,10 m hose for children (24-10-341)
2.600445	1 blood pressure cuff with 1,10 m hose large (24-10-331)
2.600448	1 blood pressure cuff with 2,00 m hose standard (24-10-312)
2.600449	1 blood pressure cuff with 2,00 m hose for children (24-10-342)
2.600450	1 blood pressure cuff with 2,00 m hose large (24-10-332)
2.210000	Blood pressure cuff with microphone, adult for ERG 900S, Adult cuff 60 cm, connection tube 80 cm

Note: Connection cables to SCHILLER ECG are not included and must be purchased separately.

SPIROMETRY

PC-Based Spiro	1.524000US	PC Spirometry Kit with SP-250 Sensor, USB Version: Includes PC Software CD, SP-250 Sensor, USB Adapter, Operating Manual and Accessories. Can be used as a stand-alone PC Spirometry system or in conjunction with the AT-104 PC ECG system. NOTE: Computer is not included.
----------------	------------	--

Schiller 2008 Product List

Part No.	Product Description
1.524000RS	PC Spirometry Kit with SP-250 Sensor, PS2-Serial Version: Includes PC Software CD, SP-250 Sensor, PS2/RS Adapter, Operating Manual and Accessories. Can be used as a stand-alone PC Spirometry system or in conjunction with the AT-104 PC ECG system. NOTE: Requires a computer that has a PS-2 and Serial ports. Computer is not included.
2.100037	Calibration Syringe (3 liters)
SPIROVIT SP-2	
9.550000	SP-2 Hand Held Spirometer. Calibration syringe is not included. Sold separately.
9.550000S	SP-2 Hand Held Spirometer: includes Calibration Syringe
9.550000SI	SP-2 Hand Held Spirometer, with IrDA Infra-Red Adapter and Calibration Syringe. NOTE: The IrDA Infra-Red Adapter requires the use of a dedicated and specific type printer.
9.550000SIP	SP-2 Hand Held Spirometer, with Calibration Syringe, IrDA Infra-Red Adapter and Color Inkjet Printer
SPIROVIT SP-1	
9.540000K	SP-1 Standard Spirometer, includes Memory, MVV and standard accessories; Comes with SP-150 sensor (DTC) and Calibration Syringe
9.540000	SP-1 Standard Spirometer, includes Memory, MVV and standard accessories; Comes with SP-150 sensor (DTC). Calibration syringe not included. Sold separately.
9.610100K	SEMA Light software kit for SP-1 Spirometer; includes PC software to archive, review and print spirometry tests, data cable for PC and DB9 Gender adapter
Memory Option	
5.540001	Memory Option for SP-1 Spirometer. NOTE: Must be purchased at the time of the initial order of a new SP-1 unit. Existing units cannot be upgraded.
MVV Option	
5.550001	Maximum Voluntary Ventilation (MVV) Software Option. NOTE: Must be purchased at the time of the initial order of a new SP-1 or SP-2 Spirometry unit. Existing units cannot be upgraded.

SPIROMETRY ACCESSORIES

UPGRADE	2.100022	SP-250 (Flow Sensor Only): For use with AT-2 plus, AT-10 plus, AT-102 and AT-104 PC. Must provide Serial number of unit when placing order.
UPGRADE KIT	2.100022K	SP-250 Kit: Flow Sensor and Calibration Syringe. For use with AT-2 plus, AT-10 plus, AT-102 and AT-104 PC. Must provide S/N of unit when placing order.
UPGRADE	2.100048	SP-150 (Flow Sensor Only): For use with AT-10, CS-200, SP-1 and SP-10. Must provide Serial number of the unit when placing order.
UPGRADE KIT	2.100048K	SP-150 Kit: Flow Sensor and Calibration Syringe. For use with AT-10, CS-200, SP-1 and SP-10. Must provide Serial number of the unit when placing order.
	2.200520E	SP-150 Exchange (Flow Sensor Only): Must provide Serial number of the unit and send back the old sensor for an exchange
	2.100048R	SP-150 Replacement (Flow Sensor Only): Must provide Serial number of the unit along with proof of purchase
	2.200540E	SP-20 Exchange (Flow Sensor Only): Must provide Serial number of the unit and send back the old sensor for an exchange
	2.200540R	SP-20 Replacement (Flow Sensor Only): Must provide Serial number of the unit along with proof of purchase
	2.200550E	SP-250 Exchange (Flow Sensor Only): Must provide Serial number of the unit and send back the old sensor for an exchange
	2.100022R	SP-250 Replacement (Flow Sensor Only): Must provide Serial number of the unit along with proof of purchase
	2.100037	Calibration Syringe (3 liters)
	4.430181	Calibration Syringe Universal Adapter
	2.100025	Disposable mouthpieces for SP-20/30 cardboard (set of 100)
	2.100123	Disposable filters for SP-20 (set 100)
	2.100026	Replacement filters for SP-110, (set of 10)
	2.100024	Mouthpieces (cardboard) SP-110/SP-110/R, (set of 100)
	2.100077	Disposable plastic mouthpieces for SP-150/250 (set of 10)
	2.100118	Disposable plastic mouthpieces for SP-2 (set of 10)
	2.100123	Disposable filters for SP-20, (set of 100)
	4.430050	Cone for Mouthpiece of SP-100, SP-110
	2.100084	Re-useable Nose clip
	2.10053P	Infrared interface Parallel adapter IrDA, incl. Power supply 110V, for data transmission to a standard printer ** Refer to printer list on WEB FAQ

Schiller 2008 Product List

Part No.	Product Description
----------	---------------------

2.100553U	Infrared interface USB adapter IrDA, incl. Power supply 110V, for data transmission to a standard printer ** Refer to printer list on WEB FAQ
2.310184P	Printer cable Parallel
2.310184U	Printer cable USB
2.100119	Holder for sensor SP-150, SP-250, SP-260

DATA MANAGEMENT

SEMA Light

9.610100	SEMA Light**
----------	--------------

Affordable Data Management Software for archiving and reviewing of diagnostic recordings in small practices (one to five concurrent clients*) with up to 5,000 recordings per year.

** Note: Each open SCHILLER software (SEMA Light, AT-104 PC, AT-110 and CS-200) as well as the Semalmpart part of the SEMACOMM/SCS software uses one connection to the database and counts as one concurrent client.*

*** Note: End-user contact information, including company name, address and telephone number must be provided at time of order. This is a special-order item and may take 2-3 weeks for delivery.*

Features:

- ✓ Archiving and reviewing functions for Resting ECG, Exercise ECG, Resting Rhythm and Spirometry.
- ✓ On screen measurements, editing of global measurement points and interpretations.
- ✓ Validation of interpretation, measurement values and patient data.
- ✓ Printout of data and curves on a normal office printer in diagnostic quality

Integration:

- ✓ Direct system integration via Ethernet with the PC-based SCHILLER diagnostic units AT-104 PC, AT-110, PT-160 and CS-200.
- ✓ Data transfer from SCHILLER ECG and Spirometry units with an RS-232 interface using the SEMACOMM software (included)
- ✓ Electronic Medical Record (EMR) system integration via the GDT interface

Interfaces:

- ✓ Data transfer of Resting ECG in XML format via Ethernet from SCHILLER ECG units with the SCHILLER Communication Module (SCM) using the SCHILLER Communication Server (SCS) software (sold separately)
- ✓ Seamless interface to Holter MT-200 analysis software (sold separately) allows for additional archiving and reviewing of Ambulatory Holter ECG recordings
- ✓ Seamless interface to MT-300 analysis software (sold separately) allows for additional archiving and reviewing of Ambulatory Blood Pressure (ABP) recordings

Includes the following:

- ✓ Software CD
- ✓ One Operating Manual
- ✓ SEMA Communication Software (SEMACOMM)

At this time, this software has not been certified to work with Microsoft Windows Vista™

Installation and other expenses are not included in the prices. PC Hardware must meet the minimal PC requirements specified below.

SEMA Light

9.610100G	SEMA Light General Network License**
-----------	--------------------------------------

The General Network License (GNL) permits the user to install SEMA Light on any number of workstations (without hardlock keys). The total maximum of concurrent clients(*) that can access data stored on the file server is limited to 5.

At this time, this software has not been certified to work with Microsoft Windows Vista™

Schiller 2008 Product List

Part No.	Product Description
----------	---------------------

**** Note:** End-user contact information, including Company name, address and telephone number must be provided at time of order. This is a special-order item and may take 2-3 weeks for delivery.

SEMA Standard

9.610000	<i>SEMA-200 Standard</i>
----------	---------------------------------

An advanced Data Management Solution for comprehensive management, analysis and archiving of diagnostic recordings in multi-user networked environments. Used to integrate Schiller ECG devices with Electronic Medical Records (EMR).

In addition to all the functionality of SEMA Light, SEMA-200 Standard also includes:

Features:

- ✓ Additional archiving and reviewing functions for Resting ECG (with Serial Comparison and Vector Analysis) and Late Potentials
- ✓ Extended search functions
- ✓ Batch editing, printing, and export
- ✓ E-mail examinations
- ✓ PDF report generation
- ✓ Full electronic audit trail of events such as viewing, printing and exporting a recording (only with General Network License and/or ADS Versions)

Integration:

- ✓ True Client/Server database integration (only with General Network Licenses and SCS)
- ✓ Automatic or manual export of PDF reports

Interfaces:

- ✓ Electronic Medical Record (EMR) and Hospital Information System (HIS) system integration via the HL7 Interface Module (sold separately)

For more information see: www.schilleramerica.com/products/sema200/

Includes the following:

- ✓ Software CD
- ✓ Operating manual(s)
- ✓ SEMA Communication Software (SEMACOMM)
- ✓ SCHILLER Communication Server (SCS) License
- ✓ ADS Database Software License (only with General Network Licenses)

At this time, this software has not been certified to work with Microsoft Windows Vista™

Installation and other expenses are not included in the prices. PC Hardware must meet the minimal PC requirements specified below.

Note: ADS Database Software Licenses are provided only with new purchases or upgrades of existing SEMA-200 Standard Installations.

Licenses

Workstation Network Licenses (WNL)

The Workstation Network Licenses (WNL) permits the user to install SEMA-200 Standard on a specified number of workstations (with hardlock keys). A total maximum of concurrent clients(*) can access data stored on the file server.

5.610000P	SEMA-200 Standard - Single Workstation Network License - Parallel One Parallel hardlock key (4.150035) and Operating Manual NOTE: For use on computers with embedded Parallel printer ports only.
5.610000U	SEMA-200 Standard - Single Workstation Network License - USB One USB hardlock key (4.150151) and Operating Manual

At this time, this software has not been certified to work with Microsoft Windows Vista™

Additional Licenses

For Additional Workstations - Workstation Network License

Schiller 2008 Product List

Part No.	Product Description
----------	---------------------

Additional Workstation Network Licenses can be purchased for existing SEMA-200 Standard versions. Additional Operating Manuals and Software CDs will not be included and must be ordered separately. A maximum of 5 concurrent clients(*) can access the database - **Requires Proof of Purchase:** To qualify for an additional workstation network license, you must provide proof of purchase, such as the serial number of the hardlock key and Customer end-user information (Company Name, Address and Telephone number)

9.610200P	SEMA-200 Standard - Additional Workstation Network License - Parallel One Parallel hardlock key (4.150035) and Operating Manual NOTE: For use on computers with embedded Parallel printer ports only.
9.610200U	SEMA-200 Standard - Additional Workstation Network License - USB One USB hardlock key (4.150151) and Operating Manual

5.610014P	SEMA-200 Standard - 5 Workstation Network License - Parallel Five Parallel hardlock keys (4.150035) and One Operating Manual NOTE: For use on computers with embedded Parallel printer ports only.
5.610014U	SEMA-200 Standard - 5 Workstation Network License - USB Five USB hardlock keys (4.150151) and One Operating Manual

At this time, this software has not been certified to work with Microsoft Windows Vista™

Note: For installations with more than 5,000 recordings per year or more than Five Concurrent licenses, we recommend purchase of General Network Licenses (see below). This includes the ADS database software, used to better manage larger databases.

SEMA Updates

SEMA Software Update (Upgrade from an earlier version of SEMA)

9.610000UP	Software update for SEMA-200 Software - Requires Proof of Purchase: To qualify for a software upgrade you must provide proof of purchase, such as the serial number of the hardlock key <u>and</u> Customer end-user information (Company Name, Address and Telephone number)
------------	--

At this time, this software has not been certified to work with Microsoft Windows Vista™

Network Licenses

General Network Licenses (GNL)**

The General Network Licenses (GNL) permits the user to install SEMA-200 Standard on any number of workstations (without hardlock keys). The total maximum of concurrent clients(*) that can access data stored in the database is controlled by the general network license.

Each General Network License is delivered with the server side ADS database software. This is a true Client/Server software which significantly increases performance and reduces network traffic of a SEMA-200 installation. The ADS software is required in order to connect more than 5 concurrent clients(*) to the database.

5.610025	5 client(*) General Network License (incl. 5 user ADS software)**
5.610026	10 client(*) General Network License (incl. 10 user ADS software)**
5.610027	15 client(*) General Network License (incl. 15 user ADS software)**

Includes 5 operating manuals

At this time, this software has not been certified to work with Microsoft Windows Vista™

5.610028	25 client(*) General Network License (incl. 25 user ADS software)**
5.610029	50 client(*) General Network License (incl. 50 user ADS software)**
5.610030	100 client(*) General Network License (incl. 100 user ADS software)**
5.610031	250 client(*) General Network License (incl. 250 user ADS software)**

Includes 10 operating manuals

software is not compatible with Vista™

***Note:** Each open SCHILLER software (SEMA-200, AT-104 PC, AT-110 and CS-200) as well

Schiller 2008 Product List

Part No.	Product Description
----------	---------------------

as the Semalport part of the SEMACOMM/SCS software uses one connection to the data and counts as one concurrent client.

**** Note:** End-user contact information, including Company name, address and telephone number must be provided at time of order. This is a special-order item and may take 2-3 weeks for delivery.

IMPORTANT: Please also indicate whether you need the ADS Software for a Novell or NT server!

You may upgrade from SEMA Lite to SEMA Standard Workstation Network License. You may upgrade from SEMA Standard Workstation Network License (with hardlock key) to a General License version that does not require a hardlock key and includes ADS software in order to increase the number of concurrent client licenses. Please contact your regional sales representative for detailed information or call 1-888-845-8455.

Additional Workstation Network Licenses can be purchased for existing SEMA-200 Standard installations. Additional operating manuals and software CDs are not included. These must be ordered separately. A total maximum of 5 concurrent clients(*) can access data stored on the file server.

At this time, this software has not been certified to work with Microsoft Windows Vista™

Minimum Client PC Requirements (SEMA-200 and SEMA Light)

Hardware

Processor: Pentium 300 MHz or better
RAM: 128 MB (256 MB recommended)
Graphics: SVGA 1 MB with 1024 x 768 resolution
Harddisk: 4 GB
Monitor: 15" to 17" Color with a resolution of 1024 x 768 non interl.
Network: 100 Mbit Ethernet network card
Other: Mouse, Keyboard and CD-ROM Drive

Software

Windows 2000 or Windows XP Professional
At this time, this software has not been certified to work with Microsoft Windows Vista™

*Minimum Server PC Requirements (ADS database)**

Hardware

Processor: Pentium III 1.0 GHz or better
RAM: 512 MB
Harddisk: 40 GB or better
Network: 100 Mbit Ethernet network card
Other: CD-ROM Drive 8x or faster

Operating System Software

Windows 2000, Windows XP Professional, Windows 2000 Server, or Windows Server 2003
At this time, this software has not been certified to work with Microsoft Windows Vista™

***Note:** For larger installations (25 client General Network License or higher) or for installations expected to have more than 100,000 stored recordings, please contact your regional sales manager for detailed information on recommended minimum server configurations.

5.610001	SEMA Communication Software (SEMACOMM)
----------	--

Schiller 2008 Product List

Part No.	Product Description
----------	---------------------

The SEMACOMM software allows the user to receive ECG and Spirometry data from all SCHILLER units with the RS-232 interface and memory. The maximum number of ports that can be used for simultaneous data transmission is eight (8) COM-ports.

SEMACOMM is included with all licenses of SEMA Light and SEMA-200 Standard.

Note: Data Transmission connection cable and memory option must be purchased separately.

Units that require SEMACOMM to transmit data to a PC via RS-232 Serial Port:

AT-2 Light	AT-10 Plus
AT-2 Plus	AT-101
AT-4	AT-102
AT-5	SP-1
AT-10	SP-10

Minimum Client PC Requirements (SEMACOMM)

Hardware

Processor: Pentium 300 MHz or better
 RAM: 128 MB (256 MB recommended)
 Harddisk: 4 GB
 Ports: (at least) 1 available COM-port2
 Other: CD-ROM Drive

Operating System Software

Windows 2000 or Windows XP Professional (SEMACOMM v2.x)

At this time, this software has not been certified to work with

Microsoft Windows Vista™

External Modems

4.150071	Analogue Modem V90 56K,
2.200207	ISDN Modem

Serial RS232 Cables to Connect ECG Units to a Computer

Data Cables

2.310047	Cable for AT-4, AT-5, AT-10, SP-10, AT-60, CS-100 to PC, 4m; Includes SEMA Communication Software (SEMACOMM)
----------	--

Used to connect a Schiller unit to a PC computer with SEMA via the Serial RS-232 Port

connectors: PC = 9 Pin D-Sub female
 ECG Device = 9 Pin D-Sub male (side with Schiller Label goes to ECG)

2.310094	Cable for AT-101, AT-2 Light, AT-2plus, AT-102, AT-104 PC, CS-200 and AT-10 Plus to PC, 4m; Includes SEMA Communication Software (SEMACOMM)
----------	---

Used to connect a Schiller unit to a PC computer via the DB9 Serial RS-232 Port

connectors: PC = 9 Pin D-Sub female
 ECG Device = 9 Pin D-Sub female (side with Schiller Label goes to ECG)

2.310159	Cable Kit: Serial Cable for AT-101, AT-2plus, AT-102, AT-104 PC, CS-200 and AT-10 Plus to PC, 4m; Includes DB9 to DB25 Adapter and SEMA Communication Software (SEMACOMM)
----------	---

Used to connect a Schiller unit to a PC computer via the DB25 Serial RS-232 Port

connectors: PC = 9 Pin D-Sub female and 25 pin Adapter
 ECG Device = 9 Pin D-Sub female (side with Schiller Label goes to ECG)

Serial RS232 Cables to Connect ECG Units to a Computer

2.310094K	Cable Kit: Serial RS232 Cable for SP-1 to PC, 4m; Includes DB9 Gender Changer Adapter and SEMA Communication Software (SEMACOMM)
-----------	--

Used to connect the Schiller SP-1 unit to a PC computer via the DB9 Serial RS-232 Port

connectors: PC = 9 Pin D-Sub female
 ECG Device = 9 Pin D-Sub male (with the use of the gender changer)

Schiller 2008 Product List

Part No.	Product Description
----------	---------------------

Serial RS232 Cables to Connect ECG Units to an External Modem

Data Cables

2.310071	Cable for AT-101, AT-102, AT-2plus, AT-4, AT-5, AT-10, AT-10plus, SP-10, AT-60, CS-100 to MODEM, 4m; Includes SEMA Communication Software (SEMACOMM)
<i>Used to connect a Schiller unit to a Modem via the Serial RS-232 Port</i>	
connectors: Modem = 25 Pin D-Sub male	
ECG Device = 9 Pin D-Sub male (may need gender changer, Part No. 4.260545)	
DB9MM	DB9 Gender Changer Adapter (converts female to male)
2.100237	Filter Plug DB9, (m/f) 9-pole

Important:

- Please ensure that you isolate all cables purchased elsewhere.
- in case of interferences, it is possible to connect a filter plug on the PC Interfaces (filter plus P/N 2.100237)

SCS Software

9.630000	SCHILLER Communication Server (SCS) Software
The SCS software allows the user to receive Resting ECG data in XML output format from all SCHILLER units with the Schiller Communication Module (SCM) via Ethernet or analog modems (sold separately). Can be used together with SEMA-200 or SEMA Light.	
 Note: One installation of SCS per network is sufficient	
 <i>A SCHILLER Communication Server (SCS) license is included with the purchase of a new or upgraded license of SEMA-200 Standard or SEMA General Network License (see SEMA-200 Standard for more information).</i>	
5.630000	Single Concurrent Transmission License
<i>Recommended for smaller installations with up to 5 devices</i>	
5.630001	5 Concurrent Transmission License Pack
<i>Recommended for installations with up to 25 devices</i>	
5.630002	Additional 5 Concurrent Transmissions Upgrade

Minimum Client PC Requirements (SCS)**

Hardware

Processor: Pentium 300 MHz or better
RAM: 512 MB
Harddisk: 4 GB (10 GB recommended)
Ethernet card: 10 Mbit or better
CD-ROM: 8x or Faster

Operating System Software

Windows™2000, Windows™XP Professional
At this time, this software has not been certified to work with Microsoft Windows Vista™

**** Note:** SCS and SEMA-200 / SEMA Light can be installed on the same PC if it fulfills these minimum requirements.

EMR Interface

9.640000	Electronic Medical Record EMR Interface - HL7/DICOM/XML
This software allows SEMA-200 Standard, AT-104 and CS-200 to Exchange data with an Electronic Medical Record (EMR) or Hospital Information System (HIS) via Health Level Seven (HL-7), DICOM or XML messages.	
At this time, this software has not been certified to work with Microsoft Windows Vista™	

Schiller 2008 Product List

Part No.	Product Description
----------	---------------------

5.640000	HL7 Standard Package <i>Includes the following modules:</i> <ul style="list-style-type: none"> ✓ Base Module ADT ✓ Extension Module 1 ORU ✓ Extension Module 2 Waveforms <p>Note: Please see below for a description of each module. At this time, this software has not been certified to work with Microsoft Windows Vista™</p>
5.640001	Base Module ADT Import of patient demographics from a Hospital Information System.
5.640002	Extension Module 1 ORU Export of results in text format to a Hospital Information System Note: Requires the Base Module ADT
5.640003	Extension Module 2 Waveforms Export of waveform data to a Hospital Information System in SCHILLER format (RST) or PDF format. Note: <ul style="list-style-type: none"> - Requires the Extension Module 1 ORU. - Waveform export in PDF format with AT-104 PC requires the optional PDF Export module in the AT-104 PC - Includes SEMAview (if requested), a read-only software that can display the waveform data in SCHILLER format (RST).

Installation and configuration is not included in the price. If assistance is needed, please contact your regional sales manager for additional information or call 1-888-845-8455.

NOTE: Customer's EMR/HIS vendor will be required to provide some technical specification information. This is common of all software and hardware vendors. Customer may be required to purchase an upgrade or additional software from their EMR/HIS vendor and may have an additional cost for this integration. The EMR/HIS vendor may charge for any additional software development and/or installation.

End-user contact information, including Company name, address and telephone number must be provided at time of order. This is a special-order item and may take 2-3 weeks for delivery.

NOTE: For software upgrades, you must provide the Serial Number of your existing HL7 Interface software and customer End-User information.

DATAMED® Format Translator (DatamedFT)

The DatamedFT software allows all SCHILLER ECG units with communication capabilities (direct cable, modem or network) to send Resting ECG examinations into third party ECG Management Systems in their respective native formats.

Includes the following:

- ✓ Software CD
- ✓ USB hardlock key
- ✓ Installation manual
- ✓ SEMA Communication Software (SEMACOMM)

Note: The DatamedFT software is a third-party product and does not require Schiller SEMA data management software.

Installation and other expenses are not included in the prices. PC Hardware must meet the minimal PC requirements specified below.

2.100267	Datamed for GE/Marquette MUSE® and GE MUSE® CV
----------	--

Schiller 2008 Product List

Part No.	Product Description
----------	---------------------

2.100268	Datamed for GE, Single Process(*) Additional License Upgrade Additional Process(*) License Upgrade
----------	---

2.100269	Datamed for Philips/HP TraceMaster® and Philips TraceMasterVue®
2.100270	Datamed for Philips/HP, Single Process(*) Additional License Upgrade Additional Process(*) License Upgrade

The DatamedFT software for Dräger-Siemens Infinity® MegaCare must be purchased locally from the distributor of Infinity® MegaCare. Please contact Dräger.

2.100271	Datamed for Quinton-Burdick Pyramis®
2.100272	Datamed for Quinton-Burdick, Single Process(*) Additional License Upgrade Additional Process(*) License Upgrade

*** Note:** Please contact your regional sales manager for the availability of translators to third party ECG Management Systems not listed here

The number of SCHILLER units each DatamedFT process can manage is dependent on the amount of data traffic generated. More than 25 units per process is not recommended.

Minimum Client PC Requirements (DatamedFT)

Hardware

Processor: Pentium 450 MHz or better
 RAM: 256 MB (512 MB recommended)
 Harddisk: 4 GB or larger
 Ports: 1 available USB-port
 Other: CD-ROM Drive 8x or faster

Operating System Software

Windows 2000, Windows XP Professional, Windows 2000 Server, or Windows Server 2003
 At this time, this software has not been certified to work with Microsoft Windows Vista™

HOLTER

1.300000	Holter Software Only (USB Security Dongle Version) - Includes Schiller MT-200 Software CD, USB Cable, USB Security Dongle, ST Trending and Template Matching and Operating Manual. Note: Computer is not included.
1.300000P	Holter Software Only (Parallel Security Dongle Version) - For use on computers with embedded Parallel printer ports only. Includes Schiller MT-200 Software CD, USB Cable, Parallel Security Dongle, ST Trending and Template Matching and Operating Manual. Note: Computer is not included.
1.300000KUSB	Holter Starter Kit (USB Security Dongle Version) - Includes: Schiller MT-200 Software CD, USB Cable, ST Trending, Template Matching and One 3-Channel MT-101 Holter Recorder. Note: Computer is not included.
1.300000KPAR	Holter Starter Kit (Parallel Security Dongle Version) - For use on computers with embedded Parallel printer ports only. Includes Schiller MT-200 Software CD, USB Cable, ST Trending, Template Matching and One 3-channel MT-101 Holter recorder. Note: Computer is not included.
1.300011	Holter Recorder MT-101/3 - 3-channel recorder, includes: 3-channel solid state recorder, 6-lead patient cable, reusable carrying pouch and hook-up kit. Note: Does not include MT-200 analysis software.

Software Options

5.270001	ST-Measurement software for MT-200 holter software
5.270002	Template Matching software for MT-200 holter software
5.270010	RR Variability software (Heart Rate Variability)

Schiller 2008 Product List

Part No.	Product Description
5.270011	Pacemaker Templates software (PM)
5.270003	Network License Software for 2 nd user : Note: Used to View Holter Data Only. You cannot download new data from a recorder with this license.
1.30000UP	Software update for MT-200 Software - Requires Proof of Purchase: To qualify for a software upgrade you must provide proof of purchase, such as the serial number of the hardlock key and Customer end-user information (Company name, Address and Telephone number)
4.150035	MT-200 Parallel Dongle Key: exchange or replacement key must provide serial number of key and proof of purchase of all options with old serial number of key
4.150151	MT-200 USB Dongle Key: exchange or replacement key must provide serial number of key and proof of purchase of all options with old serial number of key

Accessories 24-hour ECG Holter system

2.100534	Holter Hook-up Kit, including: alcohol prep pads, surgical prop razor, patient diary, batteries AA, 1.5Volt Alkaline, pre-gelled electrodes, abrasive pad
2.156025	Holter Reusable carrying pouch MT-100/3
2.400100	6-lead patient cable, MT-101, US-color code, 3-channel version
2.156035	Reusable Neoprene carrying pouch incl. belt, MT-101
4.150195	SD-Memory Card 256 MB
2.200103	External USB SD-Card Reader San Disk
2.400111	5 Lead Patient Cable MT-100/2, 2-channel version
2.400112	7-lead patient cable, new type, MT-100/3 3-channel version
2.100107	Opto transmission cable MT-100 to PC
2.310215	USB cable for MT-101

AMBULATORY BLOOD PRESSURE

2.290000	Ambulatory long term blood pressure recorder BR-102plus with MT-300 Light PC software, Auscultatory Measurement Method (main) in combination with Oscillometric Backup Measurements
2.290001	Ambulatory long term blood pressure recorder BR-102plus with MT-300 Light PC Software, Oscillometric Only
9.291000	MT-300 SCHILLER analysis software

Includes the following:

- ✓ Data Export to an EMR or HIS system using GDT
- ✓ Connectivity to Schiller SEMA data management system
- ✓ PDF Report Output
- ✓ E-mail
- ✓ Editable Assignments
- ✓ Serial comparison

Accessories

4.350039	Rechargeable battery Ni-MH (minimum 2300mAh)
2.310215	USB cable to connect to computer
2.200179	Charger for NiMH battery (4 batteries can be charged at once)
2.156041	Reusable securing pouch with belts
2.156040	Replacement belt for securing pouch
2.156043	Carrying case
4.150169	Mini SD card for raw data record on BR-102plus
4.150174	Adapter for Mini-SD card to normal SD

Auscultatory Cuff Accessories

2.100366	Blood pressure cuff size M, complete with microphone and tube
2.100378	Connection tube with microphone
2.100369	Blood pressure cuff with bladder, size S
2.100368	Blood pressure cuff with bladder, size M
2.100367	Blood pressure cuff with bladder, size L
2.100325	Velcro plaster (set of 10ocs)
2.100326	Adhesive plaster for microphone (set of 10 pcs)
4.120469	Bladder S

Schiller 2008 Product List

Part No.	Product Description
4.120470	Bladder M
4.120471	Bladder L

Oscillometric Cuff Accessories

2.100843	Connection tube oscillometric (incl. connector to cuff)
4.430222	Tube connector to cuff
2.120024	Cuff child, 18-26cm/7-10.2 inches, latex free
2.120025	Cuff child, 18-26cm/7-10.2 inches, decorated, latex free
2.120026	Cuff adult, 25-35cm/9.8-13.8 inches, latex free
2.120027	Cuff large arm, 33-47cm/13-18.5 inches, latex free

BP-200 Plus Stress Blood Pressure Measurement Device

9.310000	BP-200 plus Blood Pressure Stand-alone Monitor with accessories; Does not include QRS Trigger cable. Sold separately.
9.310000A	BP-200 plus Stress Blood Pressure Monitor; Includes QRS Trigger cable for AT-60, AT-10, CS-100 (4.520562) and accessories
9.310000B	BP-200 plus Stress Blood Pressure Monitor; Includes QRS Trigger cable for AT-110, PT-160 (4.520563) and accessories
9.310000C	BP-200 plus Stress Blood Pressure Monitor; Includes QRS Trigger cable for AT-10 plus (4.520564) and accessories
9.310000AK	BP-200 plus Stress Blood Pressure Monitor Kit; Includes QRS Trigger cable for CS-200 (4.520562), accessories and Mounting kit

Accessories

2.210016	BP-200 Plus Mounting kit for CS-200
2.100164	Microphone and tube
2.100165	Blood pressure cuff size M, complete with Microphone and tube
2.100369	Blood pressure cuff size 'S'
2.100368	Blood pressure cuff size 'M'
2.100367	Blood pressure cuff size 'L'
2.100325	Fix-plaster, set of 10 pcs
2.100326	Adhesive plaster for microphone, set of 10 pcs
2.100006	Stereo headphones
2.200109	Medical grade Power adapter, 9V / 100-240 VAC
2.300012	Power cable, USA /115 VAC
2.200179	Charging unit 90-264 VAC for 4.350039
4.350039	Accumulator Ni-MH AA, rechargeable (4 pcs are required)
4.520373	Interface cable to SCHILLER ECG device
4.520562	QRS Trigger cable for CS-200, AT-60, AT-10, CS-100
4.520563	QRS Trigger cable for AT-110, PT-160
4.520564	QRS Trigger cable for AT-10 plus

EXERCISE / STRESS ECG

CARDIOVIT AT-102

9.070000CE	AT-102 Stress system w/Interp and Memory (Resting ECG), Basic Stress software, built-in ECG waveform LCD display, user defined protocols, Full-page 8.5"x11" printout with built-in VGA Output port. Includes Cart and Treadmill. Upgradeable to PFT.
9.070000CES	AT-102 Stress system w/Interp, PFT and Memory (Resting ECG and Spirometry), Basic Stress software, built-in ECG waveform LCD display, user defined protocols, Full-page 8.5"x11" printout with built-in VGA Output port. Includes Calibration Syringe, Cart and Treadmill.

CARDIOVIT AT-10 Plus

9.173000E1	AT-10 Plus Stress system w/Interp and accessories. Upgradeable to PFT. (Without Cart and Treadmill) Note: Cart and Treadmill are sold separately.
9.173000E	AT-10 Plus Stress system w/Interp, includes treadmill, cart and accessories. Upgradeable to PFT

Schiller 2008 Product List

Part No.	Product Description
----------	---------------------

9.1730PTE	Cart, Wall mount and External 15" VGA monitor
-----------	---

Part numbers:9.173000E include the following: AT-10 plus interpretive software, Treadmill TM425, interface cable to treadmill, Exec software, 10 lead exercise patient cable, pack of blue sensor disposable sensors, 1 pack of paper

PC-BASED EXERCISE / STRESS ECG

CARDIOLAPTOP AT-110

9.060000	PC-Based AT-110 Stress System, w/Interp, Data Management software, Network ready. Upgradeable to Holter (Without Cart and Treadmill). Note: Cart and Treadmill are sold separately.
9.060000E	PC-Based AT-110 Stress System, w/Interp, Data Management software, Network ready, includes treadmill, cart and accessories. Upgradeable to Holter

CARDIOVIT AT-104 PC

9.040200	PC-Based AT-104 PC Stress System w/Interp., EXEC, Data Management, Network ready. Upgradeable to Cardiopulmonary Exercise, Holter, Spirometry and PDF Output (Without Cart and Treadmill) Note: Cart and Treadmill are sold separately.
9.040200E	PC-Based AT-104 PC Stress System w/Interp., EXEC, Data Management, Network ready. Includes cart and treadmill. Upgradeable to Cardiopulmonary Exercise, Holter, Spirometry and PDF Output.
5.040006	Upgrade-Adds PDF Export software

CARDIOVIT CS-200 DIAGNOSTIC SYSTEM

9.030000	CS-200 Stress System w/Interp, EXEC software, Data Management and Network ready. Upgradeable to Holter, cardiopulmonary exercise and/or Spirometry (Without treadmill or ergometer). Note: Treadmill and Ergometer are sold separately.
9.030000E	CS-200 Stress System w/Interp, EXEC software, Data Management, Network ready, includes treadmill. Upgradeable to Holter, cardiopulmonary exercise and Spirometry.

CARDIOPULMONARY EXERCISE TESTING

CARDIOVIT AT-104 PC Cardiopulmonary Stress Diagnostic System

9.040100	PC-Based AT-104 PC Cardiopulmonary Stress Diagnostic System w/Interp, Gas analyzer with integrated gas analyzing and spirometry device, O2, CO2, Spiro ErgoScope, incl. PC software and Color Inkjet Printer, LF8 Software for storing, displaying and documenting of all cardio-pulmonary measurements. Note: Does not include PDF Export, Ergometer or Treadmill. Sold Separately.
5.040006	Upgrade-Adds PDF Export software

CARDIOVIT CS-200 Cardiopulmonary Stress Diagnostic System

9.030100	CS-200 Cardiopulmonary Stress Diagnostic System w/Interp, Gas analyzer with integrated gas analyzing and spirometry device, O2, CO2, Spiro ErgoScope, incl. PC software and Color Inkjet Printer, LF8 Software for storing, displaying and documenting of all cardio-pulmonary measurements. Note: Does not include Ergometer or Treadmill. Sold Separately.
----------	---

Please refer to Ergometry Section for Ergometer and Treadmill Pricing

Cardiopulmonary Systems include Color Inkjet printer and Gas Regulator for Gas Bottle

2.200410UP	Upgrade to Color Laserjet Printer
------------	-----------------------------------

Schiller 2008 Product List

Part No.	Product Description
----------	---------------------

CARDIOPULMONARY & ERGO SPIRO ACCESSORIES

2.200410	Color printer, Inkjet
2.310178	Connecting cable for printer
2.100060	Ergo belt
2.100928	Mask, blue, petite, pediatric 3-5 years
2.100920	Mask, blue, extra small, pediatric 6-12 years
2.100921	Mask, blue, small, adult
2.100922	Mask, blue, medium, adult
2.100923	Mask, blue, large, adult
2.100925	Mask adapter for blue mask

NOTE: Customers ordering a replacement mask for a unit purchased before 2006, please use Re-order PN#: 2.100925

2.100924	Hairnet for blue mask, adult
2.100926	Hairnet for blue mask, pediatric, small
2.100927	Hairnet for blue mask, pediatric, large
2.100901	Silicone adapter for spirometry sensor
2.100904	Silicone adapter for spirometry sensor, with gas measurement connection
2.100905	Silicone mouthpiece for adults
2.100906	Silicone mouthpiece for children
2.100907	Bottle holder for calibration gas, complete
2.100908	Hinge arm holder, complete with assembly material
2.100909	Extension tube set for calibration connector

CARDIOPULMONARY & ERGO SPIRO ACCESSORIES (Continued)

2.100940	Nafion tube 50 cm for Power Cube (for S/No. beginning with 01.....)
2.100910	Nafion tube 50 cm for Power Cube new and Ergoscope (for S/No. beginning with A1.....)
2.100941	Patient gas measurement tube 3 m for Power Cube (for S/No. beginning with 01.....)
2.100950	Patient gas measurement tube 3 m for Power Cube new type:(for S/No. beginning with A1.....)
2.100948	Cal. Gas Out tube
2.100944	PVC tube for calibration gas for Power Cube
2.100914	Ergo-Spiro sensor
2.100915	Adapter 38 mm for silicone mouthpiece
2.100945	O ₂ sensor cell for Power Cube
2.100942	Sound absorber for Power Cube
2.310185	RS-232 connection cable CS-200 to Power Cube
4.260473	Serial port gender changer 25P/9P
4.360010	Power supply for gas analyzer Power Cube, (Euro) 230 VA 50/60Hz
4.260477	Power adapter USA/Euro for Power Cube
2.100943	Temperature sensor for Power Cube
2.100946	Water trap for Power Cube
M1-973-PGB	Gas Regulator for Calibration

BP-200 Plus Stress Blood Pressure Measurement Device

9.310000	BP-200 plus Blood Pressure Stand-alone Monitor with accessories; Does not include QRS Trigger cable. Sold separately.
9.310000A	BP-200 plus Stress Blood Pressure Monitor; Includes QRS Trigger cable for AT-60, AT-10, CS-100 (4.520562) and accessories
9.310000B	BP-200 plus Stress Blood Pressure Monitor; Includes QRS Trigger cable for AT-110, PT-160 (4.520563) and accessories
9.310000C	BP-200 plus Stress Blood Pressure Monitor; Includes QRS Trigger cable for AT-10 plus (4.520564) and accessories
9.310000AK	BP-200 plus Stress Blood Pressure Monitor Kit; Includes QRS Trigger cable for CS-200 (4.520562), accessories and Mounting kit

Accessories

Schiller 2008 Product List

Part No.	Product Description
----------	---------------------

2.210016	BP-200 Plus Mounting kit for CS-200
2.100164	Microphone and tube
2.100165	Blood pressure cuff size M, complete with Microphone and tube
2.100369	Blood pressure cuff size 'S'
2.100368	Blood pressure cuff size 'M'
2.100367	Blood pressure cuff size 'L'
2.100325	Fix-plaster, set of 10 pcs
2.100326	Adhesive plaster for microphone, set of 10 pcs
2.100006	Stereo headphones
2.200109	Medical grade Power adapter, 9V / 100-240 VAC
2.300012	Power cable, USA /115 VAC
2.200179	Charging unit 90-264 VAC for 4.350039
4.350039	Accumulator Ni-MH AA, rechargeable (4 pcs are required)
4.520373	Interface cable to SCHILLER ECG device
4.520562	QRS Trigger cable for CS-200, AT-60, AT-10, CS-100
4.520563	QRS Trigger cable for AT-110, PT-160
4.520564	QRS Trigger cable for AT-10 plus

RESTING ECG

MINISCOPE MS-3

9.260000	MINISCOPE MS-3; 1-channel electrocardiograph, integrated tripod electrodes, Memory for up to 30 min. ECG recording, LCD display 32x96 mm
2.000037	Accessory Kit C; Includes 5-lead patient cable AHA, clip (2.400061)
2.000035	Analog Output Adapter Set for MS-3 patient cable, patient cable must be ordered separately
2.000036	RS-232 Adapter Set for PC Data Transmission and Printout. NOTE: Requires a computer that has an available Serial port. Computer is not included.

CARDIOVIT AT-1

9.190000	AT-1 ECG 3-Ch Non-Interp incl. accessory kit
9.190000C	AT-1 ECG with Interp. software incl. accessory kit

CARDIOVIT AT-1 Veterinary

9.190010	AT-1 ECG 3-Ch Non-Interp incl. accessory kit
----------	--

CARDIOVIT AT-101

9.080000	AT-101 Portable 3-Ch ECG, Non-Interp, Built in 3.5" thermal paper or 8.5 x 11" external printer option
9.080000C	AT-101 Portable 3-Ch ECG, w/ Interp, Built in 3.5" thermal printer or 8.5 x 11" external printer option
3.2552	SCM Coms module LAN/Modem (for AT-101 and AT-102)
3.2549	SCM Coms module LAN Only (for AT-101 and AT-102) - Without modem

Communications Unit

CARDIOVIT AT-2

9.020000	AT-2 ECG Non-Interp, incl. accessory kit (DTC)
9.020000C	AT-2 ECG with Interp. software, incl. accessory kit (DTC)

CARDIOVIT AT-2 Plus

9.025000	AT-2 Plus ECG Non-Interp. Upgradeable to PFT and Memory (option)
9.025000S	AT-2 Plus ECG Non-Interp with PFT. Includes: SP-250 sensor, Calibration Syringe and Memory (stores up to 40 patients)
9.025000C	AT-2 Plus ECG with Interp. Upgradeable to PFT and Memory (option)
9.025000CS	AT-2 Plus ECG with Interp and PFT. Includes: SP-250 sensor, Calibration Syringe and Memory (stores up to 40 patients)

CARDIOVIT AT-2 Light

9.028000C	AT-2 Light ECG, with Interp. Upgradeable to Memory (option)
9.028000CM	AT-2 Light ECG, with Interp and Memory (stores up to 40 patients)

CARDIOVIT AT-102

Schiller 2008 Product List

Part No.	Product Description
Data Entry Display	9.070020 AT-102 ECG w/Interp, Memory (Resting ECG), Full-page 8.5"x11" printout. Upgradeable to PFT and Stress. Note: No waveform display. LCD display is for data entry only.
	9.070320 AT-102 ECG w/Interp, PFT, Memory (Resting ECG and Spirometry), Full-page 8.5"x11" printout. Includes SP-250 Sensor and Calibration Syringe. Note: No waveform display. LCD display is for data entry only.
Full Display	9.070021 AT-102 ECG w/Interp and Memory (Resting ECG), Full-page 8.5"x11" printout with built-in ECG waveform display and VGA Output port. Upgradeable to PFT and Stress.
	9.070321 AT-102 ECG w/Interp, PFT, Memory (Resting ECG and Spirometry), Full-page 8.5"x11" printout with built-in ECG waveform display and VGA Output port. Includes SP-250 Sensor and Calibration Syringe. Upgradeable to Stress.
Communications Unit	3.2552 SCM Coms module LAN/Modem (for AT-101 and AT-102)
	3.2549 SCM Coms module LAN Only (for AT-101 and AT-102) - Without modem
	9.070WAV AT-102 ECG Waveform Display Upgrade

CARDIOVIT AT-10 Plus

9.173000C	AT-10 Plus ECG, w/Interp and Memory (Resting ECG and Spirometry), Laptop design, built-in 8.5"x11" printer, built-in LAN and VGA Output ports. Upgradeable to PFT and Stress.
9.173000CS	AT-10 Plus ECG, w/Interp, PFT and Memory (Resting ECG and Spirometry), Laptop design, built-in 8.5"x11" printer, built-in LAN and VGA Output ports. Upgradeable to Stress. Includes SP-250 Sensor. Calibration Syringe is sold separately (2.100037)
4.350027	High Capacity Lithium Battery - For extended battery use. (replaces the NiMH battery)
2.200208	Laser Bar Code Scanner*

* Available as of Q2Y07 for the CARDIOVIT AT-10 Plus units with S/No. 173.00965 or higher. Older AT-10 plus devices cannot be upgraded to use bar code scanner.

Communications Unit	3.2692 Modem for AT-10 Plus. This is a factory installed item. Must be purchased at the time of the initial order of a new AT-10 Plus unit. Existing units must be returned to the factory to be upgraded.
---------------------	---

CARDIOVIT AT-110

9.060000	AT-110 ECG with Interp, Memory, Data Management, built-in LAN and VGA Output ports, includes accessories. Upgradeable to Holter and PFT.
----------	--

CARDIOVIT AT-104 PC

9.040000C	AT-104 PC-Based ECG w/Interp. Upgradeable to PFT, Stress, Cardiopulmonary Exercise, Holter and PDF Output. Note: Does not include a computer.
9.040000CS	AT-104 PC-Based ECG w/Interp and PFT. Includes SP-250 Sensor and Calibration Syringe. Upgradeable to Stress, Cardiopulmonary Exercise, Holter and PDF Output. Note: Does not include a computer.
2.310159	Cable Kit: Serial Cable for AT-101, AT-2 Plus, AT-102, AT-104 PC, CS-200 and AT-10 Plus to PC, 4m; Includes DB9 to DB25 Adapter
4.15013	Serial Interface (Dual RS-232 PCI Interface)
2.200199	4-Port USB to RS-232 Converter

SOFTWARE UPGRADES

CARDIOVIT AT-1

5.190002	Upgrade-Adds Software C (Interpretation)
----------	--

CARDIOVIT AT-101

5.080003	Upgrade-Adds Software M (Memory)
5.080002	Upgrade-Adds Software C (Interpretation)

CARDIOVIT AT-2

5.020002	Upgrade-Adds Software C (Interpretation)
----------	--

CARDIOVIT AT-2 Plus and AT-2 Light

5.025005	Upgrade-Adds Software M (Memory)
5.025002	Upgrade-Adds Software C (Interpretation)

Schiller 2008 Product List

Part No.	Product Description
----------	---------------------

CARDIOVIT AT-102

5.070001	Upgrade-Adds Software C (Interpretation)
5.070002	Upgrade-Adds Basic Ergometry Software
9.070WAV	Upgrade-Adds AT-102 ECG Waveform Display Upgrade

CARDIOVIT AT-10

5.170001	Upgrade-Adds Software C (Interpretation)
5.170003	Upgrade-Adds Software EXEC (Stress)

CARDIOVIT AT-10 Plus

5.173001	Upgrade-Adds Software C (Interpretation)
5.173002	Upgrade-Adds Software EXEC (Stress)
5.173005	Upgrade-Adds Pacemaker measurement Software PM
2.200208	Laser Bar Code Scanner*

* Available as of Q2Y07 for the CARDIOVIT AT-10 Plus units with S/No. 173.00965 or above only. Older AT-10 plus devices cannot be upgraded to use bar code scanner.

CARDIOVIT AT-104 PC

5.040001	Upgrade-Adds Software C (Interpretation)
5.040003	Upgrade-Adds SCHILLER Exercise ECG software EXEC
5.040005	Upgrade-Adds SCHILLER Exercise ECG software EXEC PLUS
5.040006	Upgrade-Adds PDF Export software

CARDIOLAPTOP AT-110

5.060001	Upgrade-Adds Resting ECG interpretation / diagnostic software C (Interpretation)
5.060002	Upgrade-Adds SCHILLER Exercise ECG software EXEC

CARDIOVIT CS-200 DIAGNOSTIC SYSTEM

5.030003	Upgrade-Adds Resting ECG interpretation/diagnostic software C (Interpretation)
5.030007	Upgrade-Adds Pacemaker measurement software PM
5.030004	Upgrade-Adds SCHILLER Exercise ECG software EXEC
5.030005	Upgrade-Adds SCHILLER Exercise ECG software EXEC plus
5.030009	Upgrade-Adds Software for Late Potentials
5.030008	Upgrade-Adds Software Vector ECG